



**VER 2.00** 

# Thermal Label Printing Scale





# FLEXIBLE AND RELIABLE NETWORKING




### **SCALE NETWORK**

: LP-II uses Ethernet(TCP/IP) for the network to program, update, and maintain sales data for up to 99 scales when PC is master. When scale is master, then up to 32 scales can be connected. With 6 digit PLU numbers that can be assigned to 32 departments, you can partition the sales data to suit any need. The master receive sales data from all scales the moment sales are transacted.

### TACTILE SWITCH KEYBOARD

- 106 Speed keys, [53 × 2 (SHIFT)]
- Sealed keyboard minimizes possible damage from moisture.
- Keys strategically placed in order to minimize user effort.




- · Transmission speed: 10Mbps
- Max Cable Length: 100 meters
- Max Nodes: 99
- Serial Port : 19.2 kbps
- Ethernet (TCP/IP) Connectors : RJ-45 Ethernet (TCP/IP) Cable : UTP
- \* UTP: Unshielded Twisted Pair









### **ADVANCED FEATURES**

- Convenient Cash Drawer.
- Fast speed 10Mbps network.
- Extended memory
- Display:Graphic VFD (LP-2G)/ 7-segment display (LP-2F)

SIDE A: PROGRAM MODE

SIDE B: REGISTRATION MODE



### **SCROLLING MESSAGES**

- Each scale can sequence & display up to 4 different messages from a list of 99 user programmable messages!
- Each message can be shown using any of 6 special effects!

### **IDEAL FOR HIGH VOLUME**

The LP-I uses very high-quality thermal print head and printer parts designed to run in the toughest environments. Large printer compartment can house high capacity label rolls eliminating the need for frequently replacing the finished label roll.

### **SECURITY**


With "password protection" the LP- $\mathbb{I}$  is able to keep unauthorized users from operating the scale. You can also use the security features to grant limited access to certain users. Assigning various levels of access to different users allows the scale to be securely operated in practically any environment.

### **PREPACKAGING**

The LP- 

 has several features to aid in any backroom application. The PRE-PACK mode enables the user to quickly print labels without the hassle of having to press the PRINT key with every transaction. PREPACK also prevents the AUTOCLEAR feature from interrupting the packaging process. The AUTO and SAVE features can be used to accommodate "special" packaging needs.

### **KEYLESS OPERATION**





### **BAR-CODING**

The LP-  $\mathbb{I}$  has 6 built-in barcode types to choose from. Selecting the "open bar-code" option in PGM mode allows the LP-  $\mathbb{I}$  to print virtually any barcode format. Additionally, each PLU can have its own unique barcode type and format. For maximum convenience the LP-  $\mathbb{I}$  can print multiple barcodes on each label.

### **BATTERIES AND MEMORY**

You just got your new LP- $\mathbb{I}$  on Friday morning and finally finished programming 400 PLUs into your new LP- $\mathbb{I}$  by Friday night. You return on Monday only to find out that you left your scale unplugged!

All that work down the drain! This would be true if the LP- I used battery backed RAM like all other printing scales... but it doesn't. The LP- II uses Flash RAM which needs no power to maintain its contents! So, if you leave it unplug for 1 weekend or 1000 weekends it doesn't matter! You will never loose your programming due to low or dead batteries!

### **SALES REPORTING**

If keeping track of sales through the POS system or cash register just isn't enough, then the LP- $\mathbb{I}$  can also aid in tracking sales. You can print or display numerous types of sales data: X MODE for reading sales data and Z MODE for reading and resetting. On a network, the Master and Mirror Master scales are updated on-the-fly in order to keep accurate account of storewide sales at all times!

Out of continuous strip media?

Need to print sales reports ?... Any label will do ! So long as the LP- $\mathbb{I}$  has labels or media of any type, you can print perfectly legible sales reports.

# SPECIIFICATIONS

MODEL	LP-∏G	LP-IIF
CHARACTERS PER PLU	Ingredients : 2000 char. MAX PLU Name : 114 char. MAX	
DISPLAYS	Dot-Matrix	7-Segment
INTERFACES	RS-232 Serial Port Ethernet Port (Optional)	
MAX TARE	FULL CAPACITY	
MEASUREMENT TYPE	LOAD CELL	
MEMORY CAPACITY	Over 4000 PLUs	
NETWORK	99 Scale MAX     Optional Network card required	
SPECIFICATIONS	99 Clerks MAX     100m (0.06 miles) max cable [ length	
OPERATING TEMP.	[] 10[C] [] 40[C(14[F]] 104[F)	
PLATTER SIZE	(L)403 mm (15.87 in.) (W)260 mm (10.24 in.)	
POWER SOURCE	85[] 240 VAC 50/60 Hz [] 5%	
PRINT SPEED	100 mm/sec (4 in./sec)	
PRINTER TYPE	DIRECT THERMAL PRINT	
SALES PERIODS	Dual totals for daily/monthly or user selectable reporting periods.	
SALES REPORT MODES	Read : [] 1,[] 2 Modes Read & Reset : Z1, Z2 Modes	
SHIPPING WEIGHT	13kg (29 lb)	
WEIGHING CAPACITY	(0~30[ 0.01lb / 30~60[ 0.02lb 0~15[ 0.005kg / 15~30[ 0.01kg)	
WEIGHING RANGE	DUAL RANGE	
WEIGHING UNITS	Pound & Kilo push-button selectable.	

Note: Specifications are subject to change without notice.

# Software Package

### **ADVANCED PC SOFTWARE**

With so many advanced features, how can you keep track of it all ? You would probably need a PC, sophisticated and expensive software, and highly trained personnel to work with it. Here at CAS we think simpler is better, so we narrowed it down to one requirement:

a PC running Microsoft® Windows® 95/98/2000/XP OS.

Every LP- | \* comes with a trial version of the LP- | software package that gives you the power to program, edit, and update virtually every feature of the LP-  $\mathbb{I}$  . The LP


I also gives you the power of designing your own label formats on the PC in WYSIWYG (What You See Is What You Get).

You can design up to 1000 label formats per store-file!

You can manage virtually an unlimited number of stores!

So long as you have hard-drive space you can manage as many stores of up to 32 LP-II scales per store. With such powerful software and advanced scales, you can't go wrong with the LP- 


!



Label Download Screen

### THOUSANDS OF PLUS AT YOUR FINGER TIPS

Whether you have a specialty store or an average deli, you can keep track of all your PLU's prices, sales, availability, advertising, etc. Sort your PLUs in various ways and generate a computer printout for fast accurate data base management. Do you need to generate labels for some items that are not scalable or food related? No problem! The LP- I has 3 types of PLUs: Weighed, Non-Weighed, and Non-Food. Each has its own unique uses but all are flexible enough to fit virtually any demand.



PLU Create/Edit Screen




**Label Formating Screen** 

1~999999

### **32 INDEPENDENT DEPARTMENTS**

Whether installed on a network or standalone, each scale can be assigned to one of 32 programmable departments. This allows that scale to directly select all PLUs from that department for quick and accurate access. But what if you are in a jam and you need scale #1 to access PLUs from another department ? You can do that too! You can also indirectly access all other PLUs from ALL other departments. This numbering scheme allows for 32, 999, 999 PLU numbers! Wow! This also will let you use the same PLU number across different depart-ments: PLU #1 in Deli Department may be different from PLU #1 in Bakery.



PLU Download Screen



**Preview Report** 

### PROGRAMMABLE DATA PLU: Department # PLU # Commodity Name Label Format # Sales Message # Unit

: 1~99999 : 114 Chai : 1~999 : 1~99 : lb, kg : 0~999 Group Code Tax Rates
Region Code
Sell By Date 0~3 : 0~3 : 0~99 : 0~999 days : 0~999 days Cook By Date Tare Weight : 0~Capacity Price/Total price : 0.00~999.99

Sale Weight Sale Price Net Weight : 0~Capacity : 0,00~999,99 : 0~9999 : 1~999 Sale Count : 0~999 UPC · 0~999999 Ingredients · 2000 Cha Origin Barcode Type/Format

Nutritional Information

### General:

Scrolling Messages Sales Messages Store Name · aa@80 Chai : 99@80 Char : 99@40 Char : 150 Char : 32@40 Char Departments Users/Clerks 99@20 Char Label Formats 900@30 Char 50 Built-in

### IF THE SHOE FITS...


Free-formatting, a large capacity label compartment, and an extra wide print head allow the LP- ${\rm I\!I}$  to print on virtually any size media: if the label fits in the scale, then you can use it ! So long as the labels are thermal and of the proper specifications, they will work with the LP- ${\rm I\!I}$ .

### LABELS, LABELS, & LABELS

Whether you need to print a Nutritional Panel, a Safe Handling template, a logo, or perhaps all 3, the LP-  $\mathbb I$  is the scale for you ! PLUs can have ingredients lists with up to 2000 characters and commodity names can have 3 lines of 38 characters. That's a whopping 2114 characters per PLU ! You can select different style Nutri-facts panels, Safe Handling templates, built in logos, or design your own using the advanced software package that is included with every LP-  $\mathbb I$ ! The LP-  $\mathbb I$  software package is designed for the Windows 95/98/2000/XP OS.

It allows you maintain all scale programming as well as up to 999 individual label formats per "store file" About 60 label formats are provided. For updated information on label formats and other related information, don't forget to visit our website at:

www.cas-usa.com or www.cas.co.kr







SAFE HANDLING INSTRUCTIONS
THE PRODUCT WAS PREP ARED PROBINS FECTOR AND PASSED WELT ARROY FOULT ITS, SOME FOOD
PROJUCTS AND CONTROL MACTERN AND COULD CAUSE LIVESS OF THE PROJUCTS IN BISMAGLE PR
COUNTY MACTERN AND PROFESTER AND COUNTY WESS STAFF AND AND ISSUED AND COUNTY WAS PREPARABLED FROM COUNTY WAS STAFF AND AND ISSUED AND COUNTY WAS STAFF AND AND AND COUNTY WAS AND COUNTY WAS AND COUNTY WAS STAFF AND COUNTY WAS AND COUNTY

DOURTS MAY CONTIAN BACTERIA THAT COULD CLUSE ELLERS FOR THE PRODUCT IS HISMANDLED PO 
XEEP REPRIGERATED OR PROCESS. THAN IT WISE SERF BEAUDIO STRUCTURES MET 
XEEP REPRIGERATED OR PROCESS. THAN IT IN REPRIGERATOR OR INCRONINUE.

XEEP RAW MEET AN OP DUTY ITS PRANATE FROM OTHER FOOCS, WASH WORKING SURFACES IN 
CLUSHON COTTING GOADING, UTENSAL, AN UNMAN SEPTEM TOUGHS WHEN THE OR TOUGH 
XEEP MOT FOOCS WIST, REPRIEERANT 
XEEP MOT FOOCS WIST, REPRIEER









·······

SCALE 1: Meat Department VOID TTL: \$123456.78 VOID TRANS: 12345678 RETURN TTL: \$123456.78 RETURN TRANS: 12345678 REPACK TTL: \$123456.78 REPACK TRANS: 12345678

TAX 1: \$ 123456.78 TAX 2: \$ 123456.78 TAX 3: \$ 123456.78 NET SALES: \$ 123456.78 GROSS SALES: \$ 123456.78 TTL WEIGHED: 12345678 lb TEMP PRICE CHANGES: 12345678

Z1 CLEARED: 12345678 TIMES NRGT: \$1234567,89

END DETAILED SALES REPORT STORE #: 12345678 LAST REPORT: 01/11/99 ID-99 DETAIL Z1 COUNTER: 12345678



## Freshly Baked American Apple Pie

9" GOURMET APPLE PIE ALL NATURAL, NO SUGAR ADDED

INGREDIENTS: FILLING: APPLES, SORBITOL WATER, MODIFIED CORNSTARTCH, NATURAL AND ARTHICIAL FLAVORS, ARTHICIAL COLOR. CRUST: ENRICHED FLOUR WHEAT FLOUR NIACIN. REDUCED IRON, THIAMINE, MONONITRATE, RIBOFLAVIN), VEGETABLE SHORTENING(PARTIALLY HYDROGENATED SOYBEAN OLL), WATER, SAIT, CALCIUM PROPIONATE AS A PRESERVATIVE.





Algen Scale Corp. 68 Enter Lane Islandia, NY 11749 Tel: (800) 836-8445 Fax: (631) 342-1977

www.algen.com ~ sales@algen.com