

Suspended Scales

Mechanical



- ◆ Robust
- ◆ Accurate
- ◆ Reliable
- ◆ Portable
- ◆ Dual markings available for metric and avoirdupois
- ◆ Low cost
- ◆ Easy to read
- ◆ Corrosion resistant
- ◆ Capacities from 11 lbs (5 kg) to 660 lbs (300 kg)



Suspended Scales

Model 235 6S



Compact, robust and corrosion resistant, housed in a tough ABS plastic case with shatterproof polycarbonate dial cover. Low friction acetal bearings provide positive movement to give maximum sensitivity. Accurate to one part in 250 with up to 15% zero adjust. Supplied with top and bottom hooks.

Option

- Round pan
- Galvanized scoop

Dual Marked

- 5 kg x 20 g / 11 lb x 1 oz
- 10 kg x 50 g / 22 lb x 2 oz
- 25 kg x 100 g / 56 lb x 4 oz
- 50 kg x 200 g / 110 lb x 8 oz
- 100 kg x 500 g / 220 lb x 1 lb



Model 235 10S

Robust and corrosion resistant, housed in a tough ABS plastic case with shatterproof polycarbonate dial cover. Low friction bearings provide positive movement to give maximum sensitivity. Accurate to one part in 500 with up to 15% zero adjust. Supplied with top and bottom hooks.

Option

- Round pan
- Galvanized scoop

Dual Marked

- 5 kg x 10 g / 11 lb x 1/2 oz
- 10 kg x 20 g / 22 lb x 1 oz
- 25 kg x 50 g / 56 lb x 2 oz
- 50 kg x 100 g / 110 lb x 4 oz
- 100 kg x 200 g / 220 lb x 8 lb

Model 235 6M



Compact, robust, housed in the traditional metal case. Accurate to one part in 250 with up to 15% zero adjustment. Supplied with top and bottom hooks.

Option

Round pan
Galvanized scoop

Dual Marked

- 5 kg x 20 g / 11 lb x 1 oz
- 10 kg x 50 g / 22 lb x 2 oz
- 25 kg x 100 g / 56 lb x 4 oz
- 50 kg x 200 g / 110 lb x 8 oz
- 100 kg x 500 g / 220 lb x 1 lb



Model 235 10x (NTEP & Non-NTEP)

Heavy duty suspended scale, NTEP approved up to 100 lbs. Easy to read dial housed in a robust die cast casing. Low friction bearings provides positive movement to give maximum sensitivity. Accurate to one part in 1000 NTEP, one part in 500 non-NTEP. Supplied with top and bottom hooks as standard.

Option

Double lipped scoop
Round pan
Galvanized scoop

NTEP approved (North or South)

- 10 lb x .02 lb
- 15 lb x 1/2 oz
- 25 lb x .05 lb
- 30 lb x 1.0 oz
- 50 lb x 0.1 lb
- 100 lb x 0.2 lb

Non-NTEP approved

- 100 kg x 200 g / 220 lb x 8 oz
- 200 kg x 500 g / 440 lb x 1 lb
- 300 kg x 1 kg / 660 lb x 2 lb

Galvanized scoop (16½" x 14" x 6" deep)

Can be supplied with 235 10x or 235 10s,
up to 56 lb/25 kg capacity.



Double lipped stainless steel scoop

Can be supplied with 235 10x or 235 10s.

Round stainless steel pan, 12 in (305 mm diameter)

Can be supplied for retrofitting to the 235 6S,
235 6M, 235 10S, 235 10X, up to 56/25 kg
capacity



ALGEN SCALE CORP.

68 Enter Lane
Islandia, NY 11749
Toll free: 800-836-8445
Tel: 631-342-1975 Fax: 631-342-1977
e-mail: sales@algen.com
www.algen.com